

M12 male 90° / M12 male 90° Y-cod. shielded

PUR AWG20/26 shielded gn UL/CSA+drag ch. 3.0m

Ethernet CAT5 Male 90° - male 90° M12 - M12, 8-pole Y-coded shielded

Further cable lengths on request.


Plastic housings with good resistance against chemicals and oils.


The resistance to aggressive media should be individually tested for your application. Further details on request.


Link to Product

Illustration









Product may differ from Image



Cable length

3 m

Side 1



Tightening torque	0,6 Nm	
Family construction form	M12	
Thread	M12 x 1	
Coding	Y	
Material	PUR	
Width across flats	SW13	
Side 2		
Tightening torque	0,6 Nm	
Family construction form	M12	
Thread	M12 x 1	
Coding	Υ	
Material	PUR	
Commercial data		
ECLASS-6.0	27279218	
ECLASS-6.1	27060307	
ECLASS-7.0	27060307	
ECLASS-8.0	27060307	
ECLASS-9.0	27060307	
ECLASS-10.1	27060307	
ECLASS-11.1	27060307	
ECLASS-12.0	27060307	
ETIM-5.0	EC001855	
customs tariff number	85444290	
GTIN	4065909088043	
Packaging unit	1	
Electrical data Supply		
Operating voltage AC max.	50 V	
Operating voltage DC max.	50 V	
Operating voltage DC max. (UL-listed)	30 V	
Operating current per data contact max.	0,5 A	
Operating current per power contact max.	6 A	
Industrial communication		
Transfer parameters	CAT5, Class D (ISO/IEC 11801:2002), (EN 50173-1)	
Data transmission rate max.	100 MBit/s	
Industrial communication Ethernet functionality		
duplex	Full duplex	
Device protection Electrical		
Degree of protection (EN IEC 60529)	IP65, IP67	
Additional condition protection degree	inserted, screwed	
Pollution Degree	3	
Rated surge voltage	0,8 kV	
Material group (IEC 60664-1)	<u> </u>	
Mechanical data		
Contour for corrugated hose	without	
Mechanical data Material data		
Coating locking	Nickeled	
Locking material	Zinc die-casting	
Mechanical data Mounting data		
Mounting method	inserted, screwed, Shaking protection	
Environmental characteristics Climatic		



stay connected

85 °C
depending on cable quality
Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.
Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
black, brown, white, blue, (orange-white, green, orange, green-white)
805
green
cURus
1
4 wires around 1 Filler twisted
1
4 wires around Stranding combination with Filler twisted
copper braid, tinned
85 %
copper braid, tinned
Fleece, Foil
yes
black, brown, white, blue, (orange-white, green, orange, green-white)
107,8 g/m
PUR
90 ± 5 Shore A
lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
8,1 mm
±5%
PP PP
4
1,5 mm
±5%
55 ± 5 Shore D
lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
·
19 20 AWG
20 AWG 20 AWG
Stranded copper wire, bare PP
1,1 mm
) ±5%
55 ± 5 Shore D
lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
4
19
26 AWG
26 AWG
Stranded copper wire, bare
60 V
to DIN VDE 0298-4
5,9 A 2 A



Electrical resistance line constant wire	35 Ω/km
Electrical resistance coating wire (Data)	140 Ω/km
AC withstand voltage (wire - wire)	1 kV @ 60 s
Electrical capacity line constant (wire - wire)	52000 pF/km
Power frequency withstand voltage (wire - jacket)	1 kV @ 60 s
AC withstand voltage (wire - shield)	1 kV @ 60 s
Isolation resistance	5000 MΩ
Min. operating temperature (static)	-50 °C
Max. operating temperature (fixed)	80 °C / 90 °C @ 10000 h Operation
Operating temperature min. (dynamic)	-40 °C
Operating temperature max. (dynamic)	80 °C / 90 °C @ 10000 h Operation
Flame resistance	UL 1581 § 1100 FT2 IEC 60332-2-2 UL 1581 § 1090
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	Good, application-related testing DIN EN 60811-404
Bending radius (installation)	x Outer diameter
Bending radius (fixed)	5 x Outer diameter
Bending radius (dynamic)	10 x Outer diameter
No. of bending cycles (C-track)	5 Mio.
Traversing distance (C-track)	5 m
Travel speed (C-track)	3,3 m/s
No. of torsion cycles	2 Mio.
Torsion stress	± 30 °/m
Torsion speed	35 cycles/min