

## M23 female 90° with cable

PUR 8x0.34+3x0.75 gy drag ch. 25m


Female 90° M23, 19-pole 11-pole used for 4-way distribution boxes, 5-pole Further cable lengths on request. Plastic housings with good resistance against chemicals and oils. The resistance to aggressive media should be individually tested for your application. Further details on request.


## Link to Product











Product may differ from Image

Cable length	25 m
Side 1	
Tightening torque	2 Nm
Mounting method	inserted, screwed
Family construction form	M23
Thread	M23 x 1
suitable for corrugated tube (internal Ø)	16 mm

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-19



Material	PUR
Width across flats	SW27
Degree of protection (EN IEC 60529)	IP65, IP67
Commercial data	
ECLASS-6.0	27279218
ECLASS-7.0	27279218
ECLASS-8.0	27279218
ECLASS-9.0	27060311
ECLASS-10.1	27060311
ECLASS-11.1	27060311
ECLASS-12.0	27060311
ETIM-5.0	EC001855
customs tariff number	85444290
GTIN	4048879559010
Packaging unit	1
Electrical data   Supply	
Operating voltage AC max.	125 V
Operating voltage DC max.	125 V
Current operating per contact max.	7,5 A
Installation   Connection	
Mounting set	M23 x 1
Device protection   Electrical	
Rated surge voltage	2,5 kV
Material group (IEC 60664-1)	
Mechanical data   Material data	
Coating locking	nickel plated
Coating of fitting	nickel plated
Locking material	Brass
Material screw connection	Brass
Mechanical data   Mounting data	
Mounting method	inserted, screwed
Environmental characteristics   Climatic	
Operating temperature min.	-25 °C
Operating temperature max.	85 °C
Additional condition temperature range	depending on cable quality
Important installation notes	
Note on strain relief	Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.
Note on bending radius	Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
Installation   Cable	
wire arrangement	white, yellow, (gray, gray-pink, red-blue, green, green-white, brown-green, blue, brown, green-yellow)
Cable identification	363
Cable Type	2
Function cable	Hybrid, Signal, Power
Jacket Color	gray
Type of Certificate	cURus
Amount stranding	1
Stranding	2 wires with Filler twisted
Amount stranding (type 2)	1
Stranding (type 2)	9 wires around Stranding combination twisted
Cable shielding (type)	copper braiding, bare

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-19



Filler         wire arrangement         Cable weigth         Material jacket         Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter tolerance core insulation         Shore hardness wire insulation         Material properties wire insulation	yes white, yellow, (gray, gray-pink, red-blue, green, green-white, brown-green, blue, brown, green-yellow) 143 g/m PUR 87 ± 5 Shore A lead-free, cadmium-free, CFC-free, silicone-free 8,1 mm ± 5 % PVC gray PVC 8 1,3 mm ± 5 % 43 ± 5 Shore D good machinability lead-free, cadmium-free, CFC-free, silicone-free
Cable weigth         Material jacket         Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter tolerance core insulation         Shore hardness wire insulation	143 g/mPUR87 ± 5 Shore Alead-free, cadmium-free, CFC-free, silicone-free8,1 mm± 5 %PVCgrayPVC81,3 mm± 5 %43 ± 5 Shore Dgood machinability
Material jacket         Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter tolerance core insulation         Shore hardness wire insulation	PUR         87 ± 5 Shore A         lead-free, cadmium-free, CFC-free, silicone-free         8,1 mm         ± 5 %         PVC         gray         PVC         8         1,3 mm         ± 5 %         43 ± 5 Shore D         good machinability
Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter tolerance core insulation         Shore hardness wire insulation	87 ± 5 Shore Alead-free, cadmium-free, CFC-free, silicone-free8,1 mm± 5 %PVCgrayPVC81,3 mm± 5 %43 ± 5 Shore Dgood machinability
Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter insulation         Outer diameter tolerance core insulation         Shore hardness wire insulation	lead-free, cadmium-free, CFC-free, silicone-free 8,1 mm ± 5 % PVC gray PVC 8 1,3 mm ± 5 % 43 ± 5 Shore D good machinability
Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter insulation         Outer diameter tolerance core insulation         Shore hardness wire insulation	8,1 mm         ± 5 %         PVC         gray         PVC         8         1,3 mm         ± 5 %         43 ± 5 Shore D         good machinability
Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter insulation         Outer diameter tolerance core insulation         Shore hardness wire insulation	± 5 % PVC gray PVC 8 1,3 mm ± 5 % 43 ± 5 Shore D good machinability
Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter insulation         Outer diameter tolerance core insulation         Shore hardness wire insulation	PVC           gray           PVC           8           1,3 mm           ± 5 %           43 ± 5 Shore D           good machinability
Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation	gray           PVC           8           1,3 mm           ± 5 %           43 ± 5 Shore D           good machinability
Material wire insulation         Amount wires         Outer diameter insulation         Outer diameter tolerance core insulation         Shore hardness wire insulation	PVC         8           1,3 mm         ± 5 %           43 ± 5 Shore D         good machinability
Amount wires         Outer diameter insulation         Outer diameter tolerance core insulation         Shore hardness wire insulation	8 1,3 mm ± 5 % 43 ± 5 Shore D good machinability
Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation	1,3 mm         ± 5 %         43 ± 5 Shore D         good machinability
Outer diameter tolerance core insulation Shore hardness wire insulation	± 5 % 43 ± 5 Shore D good machinability
Shore hardness wire insulation	43 ± 5 Shore D good machinability
	good machinability
Material properties wire insulation	
Ingredient freeness wire insulation	
Amount strands (wire)	19
Diameter of single wires	0,15 mm
Conductor crosssection (wire)	0.34 mm <sup>2</sup>
Material conductor wire	Stranded copper wire, bare
Conductor type (wire)	Strand class 5
Material wire insulation (Power)	PVC
Outer diameter wire insulation (Power)	1,8 mm
Tolerance outer diameter wire insulation (Power)	±5 %
Shore hardness wire insulation (Power)	43±5 Shore D
Material properties wire insulation (Power)	good machinability
Ingredient freeness wire insulation (Power)	lead-free, cadmium-free, CFC-free, silicone-free
Amount wires (Power)	3
Amount strands wire (Power)	24
Diameter of single wires (Power)	0.2 mm
Wire conductor cross section (Power)	0.75 mm <sup>2</sup>
Material conductor wire (Power)	Stranded copper wire, bare
Conductor type wire (Power)	Strand class 5
Max. rated voltage (conductor - conductor)	300 V
Max. rated voltage (conductor - ground)	300 V
Current load capacity (standard) Current load capacity min. wire	to DIN VDE 0298-4 4 A
Current carrying capacity min. wire (Power)	7.8 A
Electrical resistance line constant wire	7,6 A 57 Ω/km @ 20 °C
	26 Ω/km @20 °C
Electrical resistance coating wire (Power)	
AC withstand voltage (wire - wire) Power frequency withstand voltage (wire -	2 kV @ 60 s
jacket) Min. operating temperature (static)	-30 °C
Max. operating temperature (fixed)	80 °C
Operating temperature min. (dynamic)	-5 °C
Operating temperature max. (dynamic)	-5 °C
Flame resistance	UL 1581 § 1100 FT2   IEC 60332-2-2   UL 1581 § 1090
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	Good, application-related testing   DIN EN 60811-404
Bending radius (fixed)	5 x Outer diameter

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-19



Bending radius (dynamic)	10 x Outer diameter
No. of bending cycles (C-track)	2 Mio. @ 25 °C
Traversing distance (C-track)	5 m @ 25 °C
Travel speed (C-track)	2 m/s @ 25 °C

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-19